ELSEVIER

Physica C 303 (1998) 313–315

PHYSICA C

Author Index to Volume 303

Abulafia, Y., see Werner, M., **303** (1998) 191
Aburto, A., L. Fruchter and C. Pasquier, Penetration depth, superconducting transition temperature and quenching of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br, **303** (1998) 185
Adachi, S., see Moriwaki, Y., **303** (1998) 65
Adachi, S., see Tatsuki, T., **303** (1998) 41
Akimitsu, J., see Hargreaves, T.E., **303** (1998) 33
Akimitsu, J., see Tamura, M., **303** (1998) 1
Aligia, A.A., see Arrachea, L., **303** (1998) 141
Allasia, D., see Manfredotti, C., **303** (1998) 94
Aoki, R., see Svistunov, V.M., **303** (1998) 177
Arrachea, L. and A.A. Aligia, Does long-range antiferromagnetism help or inhibit superconductivity?, **303** (1998) 141
Aswal, D.K., see Gupta, S.K., **303** (1998) 151
Ausloos, M., see Pękała, M., **303** (1998) 169

Bandyopadhyay, S.K., see Sen, P., **303** (1998) 108
Barat, P., see Sen, P., **303** (1998) 108
Barman, A., see Sen, P., **303** (1998) 108
Beales, T.P., see Dou, S.X., **303** (1998) 21
Benzi, P., see Manfredotti, C., **303** (1998) 94
Bougrine, H., see Pękała, M., **303** (1998) 169
Brandstätter, G., see Werner, M., **303** (1998) 191
Brewer, D.F., see Hargreaves, T.E., **303** (1998) 33
Bunescu, M.C., see Vasiliu, F., **303** (1998) 209

Canfield, P.C., see Mun, M.-O., **303** (1998) 57
Cao, L.X., B.R. Zhao, Y.L. Qin, L. Li, T. Yang and Z.X. Zhao, Electric field effect of $YBa_2Cu_3O_7$ film modulated by $Pb(Zr_{0.53}Ti_{0.47})O_3$ gate layer, **303** (1998) 47
Cao, X.W., see Wang, S.J., **303** (1998) 60
Carbotte, J.P., see Schürrer, I., **303** (1998) 287
Cataudella, V., see Piegari, E., **303** (1998) 273
Cava, R.J., see Chechersky, V., **303** (1998) 91
Chang, K.-W., B.W. Wessels, W. Qian, V.P. Dravid, J.L. Schindler, C.R. Kannewurf, D.B. Studebaker, T.J. Marks and R. Feenstra, In situ growth and doping of oxycarbonate $Sr_2CuO_2(CO_3)$ epitaxial thin films, **303** (1998) 11
Chechersky, V., A. Nath and R.J. Cava, Direct evidence for the electronic phase inhomogeneity in $HoNi_2B_2C$, **303** (1998) 91
Chen, J., see Romano, P., **303** (1998) 311
Chen, J.L., see Wang, S.J., **303** (1998) 60
Chen, T.G., S. Li, W. Gao, H.K. Liu and S.X. Dou, The oxygenation processes of $YBa_2Cu_3O_{6+\delta}$ with silver additions, **303** (1998) 202
Chernyak, O.I., see Svistunov, V.M., **303** (1998) 177
Cho, B.K., see Mun, M.-O., **303** (1998) 57
Cimpoiasu, E., see Vasiliu, F., **303** (1998) 209
Cloots, R., see Pękała, M., **303** (1998) 169

De, S.K., see Sen, P., **303** (1998) 108
Den, T., see Tamura, M., **303** (1998) 1
Dey, G.K., see Viswanath, N.V.N., **303** (1998) 220
Dou, S.X., R. Zeng, T.P. Beales and H.K. Liu, A new method to substantially reduce the processing time of Ag/Bi-2223 tapes, **303** (1998) 21
Dou, S.X., see Chen, T.G., **303** (1998) 202
Dravid, V.P., see Chang, K.-W., **303** (1998) 11
D'yachenko, A.I., see Svistunov, V.M., **303** (1998) 177

Fang, J., see Wang, S.J., **303** (1998) 60
Feenstra, R., see Chang, K.-W., **303** (1998) 11
Ferreira, P.J., see Liu, H.B., **303** (1998) 161
Fruchter, L., see Aburto, A., **303** (1998) 185

Gadomski, W., see Pękała, M., **303** (1998) 169
Gao, W., see Chen, T.G., **303** (1998) 202
Gasser, C., see Moriwaki, Y., **303** (1998) 65
Ghosh, M., see Sen, P., **303** (1998) 108
Griessen, R., see Werner, M., **303** (1998) 191
Grovenor, C.R.M., see Pękała, M., **303** (1998) 169
Gupta, S.K., D.K. Aswal, J.C. Vyas and V.C. Sahni, A theoretical analysis of the resistance changes accompanying oxygen diffusion in $YBa_2Cu_3O_x$, **303** (1998) 151

Hargreaves, T.E., H. Noma, J. Akimitsu, D.F. Brewer, N.E. Hussey and A.L. Thomson, Low-temperature specific heat of the electron-doped superconductor $Pr_{2-x}Ce_xCuO_{4-\delta}$, **303** (1998) 33
Hasegawa, T., see Miao, H., **303** (1998) 81
Hashimoto, T., see Nagano, T., **303** (1998) 231
Hoekstra, A., see Werner, M., **303** (1998) 191
Hussey, N.E., see Hargreaves, T.E., **303** (1998) 33

Iadonisi, G., see Piegari, E., **303** (1998) 273
Inoue, S., see Nagano, T., **303** (1998) 231

Jackson, E.M., see Weaver, B.D., **303** (1998) 101

Kannewurf, C.R., see Chang, K.-W., **303** (1998) 11
Kim, G.-H. and M. Shin, Quantum vortex creep: Hall and dissipative tunneling, **303** (1998) 73
Kim, M.-S., see Mun, M.-O., **303** (1998) 57
Kitaguchi, H., see Miao, H., **303** (1998) 81
Koizumi, T., see Miao, H., **303** (1998) 81
Kumagai, T., see Manabe, T., **303** (1998) 53
Kumakura, H., see Miao, H., **303** (1998) 81
Kumar, N.H., see Viswanath, N.V.N., **303** (1998) 220
Kupka, M., The effect of the superconductive-electrode transition surface region on the contact differential conductance, **303** (1998) 131

Lee, S.-I., see Mun, M.-O., **303** (1998) 57
Lee, W.C., see Mun, M.-O., **303** (1998) 57
Li, K.B., see Wang, S.J., **303** (1998) 60
Li, L., see Cao, L.X., **303** (1998) 47
Li, S., see Chen, T.G., **303** (1998) 202
Liu, H.B., P.J. Ferreira and J.B. Vander Sande, Processing Bi-2212/Ag thick films under a high magnetic field: on the Bi-2212/Ag interface effect, **303** (1998) 161
Liu, H.K., see Chen, T.G., **303** (1998) 202
Liu, H.K., see Dou, S.X., **303** (1998) 21

Malik, S.K., see Viswanath, N.V.N., **303** (1998) 220
Manabe, T., Y. Yajima, I. Yamaguchi, T. Kumagai, T. Shimizu and S. Mizuta, Solid-state epitaxy of *c*-axis-oriented Yb124 films prepared by coating-pyrolysis process, **303** (1998) 53
Manfredotti, C., M. Truccato, P. Volpe, P. Benzi, N. Rizzi, S. Sanguinetti and D. Allasia, Crystal growth dependence on the starting chemical compounds in the $Bi_2Sr_2Ca_2Cu_3O_x$ system, **303** (1998) 94
Mao, C., L. Zhou, X. Wu and X. Sun, Rapid one-powder process to synthesize phase assemblage composed of $(Bi,Pb)_2Sr_2CaCu_2O_x$, Ca_2CuO_3 and CuO, **303** (1998) 28
Marks, T.J., see Chang, K.-W., **303** (1998) 11
Menon, L., see Viswanath, N.V.N., **303** (1998) 220
Miao, H., H. Kitaguchi, H. Kumakura, K. Togano, T. Hasegawa and T. Koizumi, $Bi_2Sr_2CaCu_2O_x$/Ag multilayer tapes with $J_c > 500\,000$ A/cm^2 at 4.2 K and 10 T by using pre-annealing and intermediate rolling process, **303** (1998) 81
Mizuta, S., see Manabe, T., **303** (1998) 53
Morgan, C.G., see Pękała, M., **303** (1998) 169
Moriwaki, Y., T. Sugano, A. Tsukamoto, C. Gasser, K. Nakanishi, S. Adachi and K. Tanabe, Fabrication and properties of *c*-axis Hg-1223 superconducting thin films, **303** (1998) 65
Mukherjee, P., see Sen, P., **303** (1998) 108
Mun, M.-O., M.-S. Kim, S.-I. Lee, B.K. Cho, I.-S. Yang, W.C. Lee and P.C. Canfield, Determination of the precise upper critical field of YNi_2B_2C superconductor, **303** (1998) 57

Nagano, T., S. Inoue, T. Hashimoto and J. Yoshida, Interface fabrication of $YBa_2Cu_3O_y$ ramp-edge junction with $PrBa_2(Cu_{1-x}Co_x)_3O_y$ barrier layer in enhanced oxidizing atmosphere, **303** (1998) 231
Nakanishi, K., see Moriwaki, Y., **303** (1998) 65
Nambissan, P.M.G., see Sen, P., **303** (1998) 108
Nath, A., see Chechersky, V., **303** (1998) 91
Nita, P., see Vasiliu, F., **303** (1998) 209
Noma, H., see Hargreaves, T.E., **303** (1998) 33

Pasquier, C., see Aburto, A., **303** (1998) 185
Pękała, M., H. Bougrine, W. Gadomski, C.G. Morgan, C.R.M. Grovenor, R. Cloots and M. Ausloos, Distribution of vortex lattice melting temperatures in mixed state diagram of Bi2212 tapes, **303** (1998) 169
Piegari, E., V. Cataudella and G. Iadonisi, The boson–fermion model in the mean-field approximation, **303** (1998) 273
Popa, S., see Vasiliu, F., **303** (1998) 209

Qian, W., see Chang, K.-W., **303** (1998) 11
Qin, Y.L., see Cao, L.X., **303** (1998) 47

Rajasekharan, T., see Viswanath, N.V.N., **303** (1998) 220
Ren, H.-c., An analytical approach to the pseudo-gap in Boson–Fermion model and its possible relevance to cuprate superconductors, **303** (1998) 115
Rizzi, N., see Manfredotti, C., **303** (1998) 94
Romano, P., J. Chen and J. Zasadzinski, Erratum to "Josephson and quasiparticle tunneling in SIS junctions of $Bi_2Sr_2CaCu_2O_8$ and $Bi_2Sr_2CuO_6$" [Physica C 295 (1998) 15–21], **303** (1998) 311

Sahni, V.C., see Gupta, S.K., **303** (1998) 151
Sandu, V., see Vasiliu, F., **303** (1998) 209
Sanguinetti, S., see Manfredotti, C., **303** (1998) 94
Sato, M., see Tamura, M., **303** (1998) 1
Sauerzopf, F.M., see Werner, M., **303** (1998) 191
Schachinger, E., see Schürrer, I., **303** (1998) 287
Schindler, J.L., see Chang, K.-W., **303** (1998) 11
Schreiber, M., see Sherman, A., **303** (1998) 257
Schürrer, I., E. Schachinger and J.P. Carbotte, Optical conductivity of superconductors with mixed symmetry order parameters, **303** (1998) 287
Sen, P., P.M.G. Nambissan, S.K. Bandyopadhyay, P. Barat, M. Ghosh, A. Barman, P. Mukherjee and S.K. De, The study of defects, transport properties and dissipative flux motion in proton irradiated textured polycrystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ superconductors, **303** (1998) 108
Sherman, A. and M. Schreiber, Spectral and magnetic properties of the two-dimensional t–J model in the quantum disordered regime, **303** (1998) 257
Shimizu, T., see Manabe, T., **303** (1998) 53
Shin, M., see Kim, G.-H., **303** (1998) 73
Studebaker, D.B., see Chang, K.-W., **303** (1998) 11
Sugano, T., see Moriwaki, Y., **303** (1998) 65
Summers, G.P., see Weaver, B.D., **303** (1998) 101
Sun, X., see Mao, C., **303** (1998) 28
Surdeanu, R., see Werner, M., **303** (1998) 191
Suzumura, Y., see Tsuchiizu, M., **303** (1998) 246
Svistunov, V.M., V.Yu. Tarenkov, A.I. D'yachenko, O.I. Chernyak and R. Aoki, Contact phenomena in Ag–YBCO composites, **303** (1998) 177

Tamura, M., M. Sato, T. Den and J. Akimitsu, A new superconductor with 1222 structure $(Cu_{1-x}M_x)Sr_2(Y_{1-y}Ce_y)_2Cu_2O_\delta$ (M = Ti, V, Cr, Fe, Co, Ga, Ge, Mo, Ce, W and Re), **303** (1998) 1
Tamura, T., see Tatsuki, T., **303** (1998) 41
Tanabe, K., see Moriwaki, Y., **303** (1998) 65
Tanabe, K., see Tatsuki, T., **303** (1998) 41
Tarenkov, V.Yu., see Svistunov, V.M., **303** (1998) 177
Tatsuki, T., S. Adachi, T. Tamura and K. Tanabe, High pressure synthesis of $Sr_2CuO_{2+\delta}Cl_{2-\delta'}$ compounds, **303** (1998) 41
Thomson, A.L., see Hargreaves, T.E., **303** (1998) 33
Togano, K., see Miao, H., **303** (1998) 81
Truccato, M., see Manfredotti, C., **303** (1998) 94
Tsuchiizu, M. and Y. Suzumura, Two-coupled chains with spin-anisotropic backward scattering, **303** (1998) 246
Tsukamoto, A., see Moriwaki, Y., **303** (1998) 65

Upadhyaya, D.D., see Viswanath, N.V.N., **303** (1998) 220

Vander Sande, J.B., see Liu, H.B., **303** (1998) 161
Vasiliu, F., V. Sandu, P. Nita, S. Popa, E. Cimpoiasu and M.C. Bunescu, The role of radiation damage structure and fine scale precipitation in the pinning improvement of thermal neutron irradiated lithium fluoride-doped $YBa_2Cu_3O_{7-x}$, **303** (1998) 209
Veal, B.W., see Werner, M., **303** (1998) 191
Viswanath, N.V.N., T. Rajasekharan, L. Menon, N.H. Kumar, S.K. Malik, G.K. Dey and D.D. Upadhyaya, Effect of Sm_2BaCuO_5 addition on the properties of melt processed $SmBa_2Cu_3O_y$, **303** (1998) 220
Volpe, P., see Manfredotti, C., **303** (1998) 94
Vyas, J.C., see Gupta, S.K., **303** (1998) 151

Wang, S.J., X.W. Cao, J. Fang, J.L. Chen, K.B. Li and Z.H. Wang, Resistive transition of $(YBa_2Cu_3O_7)_{24}/(PrBa_2Cu_3O_7)_2$ multilayer in high magnetic field, **303** (1998) 60
Wang, Z.H., see Wang, S.J., **303** (1998) 60
Weaver, B.D., E.M. Jackson and G.P. Summers, Effect of proton irradiation on the resistance in $Tl_2Ba_2CaCu_2O_8$ Josephson junctions and thin films, **303** (1998) 101
Weber, H.W., see Werner, M., **303** (1998) 191
Werner, M., G. Brandstätter, F.M. Sauerzopf, H.W. Weber, A. Hoekstra, R. Surdeanu, R.J. Wijngaarden, R. Griessen, Y. Abulafia, Y. Yeshurun, K. Winzer and B.W. Veal, Comparative study of global and local magnetization measurements on single crystalline high-T_c superconductors, **303** (1998) 191
Wessels, B.W., see Chang, K.-W., **303** (1998) 11
Wijngaarden, R.J., see Werner, M., **303** (1998) 191
Winzer, K., see Werner, M., **303** (1998) 191
Wu, X., see Mao, C., **303** (1998) 28

Yajima, Y., see Manabe, T., **303** (1998) 53
Yamaguchi, I., see Manabe, T., **303** (1998) 53
Yang, I.-S., see Mun, M.-O., **303** (1998) 57
Yang, T., see Cao, L.X., **303** (1998) 47
Yeshurun, Y., see Werner, M., **303** (1998) 191
Yoshida, J., see Nagano, T., **303** (1998) 231

Zasadzinski, J., see Romano, P., **303** (1998) 311
Zeng, R., see Dou, S.X., **303** (1998) 21
Zhao, B.R., see Cao, L.X., **303** (1998) 47
Zhao, Z.X., see Cao, L.X., **303** (1998) 47
Zhou, L., see Mao, C., **303** (1998) 28

ELSEVIER

Physica C 303 (1998) 316–317

PHYSICA C

Analytic Subject Index to Volume 303

AC susceptibility
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 94
AC-susceptibility
–of $YbBa_2Cu_4O_8$ thin films 53
Activation energy
–in $(YBCO)_{24}/(PrBCO)_2$ multilayer 60
–in Hg-1223 thin film 65
Anisotropy
–of $(YBCO)_{24}/(PrBCO)_2$ multilayer 60
Apical chlorine 41
Application of high-T_c superconductors 47
Applications of high T_c 81

Boson fermion model 115
Boson-fermion model 273

Chemical vapor deposition
–of $Sr_2CuO_2(CO_3)$ thin films 11
Critical current density
–of Ag/Bi-2223 tapes 21
–of $Bi_2Sr_2CaCu_2O_x$Ag multilayer tapes 81
–of Hg-1223 thin film 65
–of $SmBa_2Cu_3O_y$ 220
–of $YBa_2Cu_3O_{7-x}$ 209
–of YBaCuO-Ag 177
CuO_2 planes
–in $(Cu_{1-x}M_x)Sr_2(Y_{1-y}Ce_y)_2Cu_2O_\delta$ 1
Curie Weiss behavior
–of YNi_2B_2C single crystal 57

D-wave superconductor 141
Differential conductance 131
Dissipation 73

Electrical resistivity
–of Bi2212 tape 169
–of $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ 108
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 94
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 108
–of Hg-1223 thin film 65
–of $Sr_2CuO_{2+\delta}Cl_{2-\delta}$ 41
–of $Tl_2Ca_2BaCu_2O_8$ 101
–of $YBa_2Cu_3O_x$ single crystals 151
–of $YBa_2Cu_3O_7/Pb(Zr_{0.53}Ti_{0.47)O}3$ films 47
–of YBaCuO-Ag 177

Electron self energy 115
Electron-doped cuprates 33
Epitaxy 53

Fermi energy 273
Filaments
–in Ag/Bi-2223 tapes 21
Fluctuation effects 246
Flux creep 73
Flux pinning
–in $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ 108
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 108

Generalized Hubbard model 141
Grain alignment
–in Bi-2212/Ag thick films 161
Granular superconductivity 94

Hall dynamics 73
Hall probe array 191
Hartree-Fock-BCS approximation 141
High pressure synthesis
–of $Sr_2CuO_{2+\delta}Cl_{2-\delta}$ 41
Hole concentration
–in $YBa_2Cu_3O_7/Pb(Zr_{0.53}Ti_{0.47)O}3$ films 47
Hubbard model 246

Impurity limits 287
Infrared spectroscopy
–on $Sr_2CuO_2(CO_3)$ thin films 11
Intermetallic superconductor
–of $HoNi_2(^{57}Co)B_2C$ 91
Irradiation effect
–on $Tl_2Ca_2BaCu_2O_8$ 101
Irradiation effects
–on $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ 108
–on $Bi_2Sr_2CaCu_2O_{8+\delta}$ 108
IV-characteristics
–of $YBa_2Cu_3O_y/PrBa_2(Cu_{1-x}Co_x)_3O_y/YBa_2Cu_3O_y$ junctions 231

Josephson junction
–from $Tl_2Ca_2BaCu_2O_8$ 101

Li-doping
–in $YBa_2Cu_3O_{7-x}$ 209
Localization effects
–in $Pr_{1.85}Ce_{0.15}CuO_4$ 33
–in $Pr_{1.875}Ce_{0.125}CuO_4$ 33
Low temperature specific heat
–of $Pr_{1.85}Ce_{0.15}CuO_4$ 33
–of $Pr_{1.875}Ce_{0.125}CuO_4$ 33

Magnetic properties 257
Magnetic susceptibility
–of $(Cu_{1-x}M_x)Sr_2(Y_{1-y}Ce_y)_2Cu_2O_\delta$ 1
Magnetization
–of κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$ single crystal 185
Magnetization measurement techniques 191
Mean-field approximation 273
Melt processing
–of Bi-2212/Ag thick films 161
–of $SmBa_2Cu_3O_y$ 220
Microstructure; 220
Mixed state
–of Bi2212 tape 169
Mössbauer spectra
–for $HoNi_2(^{57}Co)B_2C$ 91
Multilayers
–of $YBa_2Cu_3O_7/Pb(Zr_{0.53}Ti_{0.47)O}3$ 47

N-S'-S structures 131
Neutron irradiation
–of $YBa_2Cu_3O_{7-x}$ 209

One-powder process 28
Optical conductivity 287
Organic superconductor 185
Oxygen diffusion
–in $YBa_2Cu_3O_x$ single crystals 151
Oxygen stoichiometry
–in $YBa_2Cu_3O_{6+\delta}$/Ag 202
Oxygenation process
–of $YBa_2Cu_3O_{6+\delta}$/Ag 202

Paramagnetic susceptibility
–of YNi_2B_2C single crystal 57
Penetration depth
–in $YBa_2Cu_3O_7/Pb(Zr_{0.53}Ti_{0.47})O_3$ films 47
–of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br single crystal 185
Phase assemblage
–of $(Bi,Pb)_2Sr_2CaCu_2O_x$ 28
–of Ca_2CuO_3 28
–of CuO 28
Phase diagram 141
Positron annihilation
–in $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ 108
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 108
Post-annealing
–of $Bi_2Sr_2CaCu_2O_x$Ag multilayer tapes 81
Processing time
–of Ag/Bi-2223 tapes 21
Proximity effect 177
Pseudo gap 115
Pseudogap 257
Pulsed laser deposition
–of Hg-1223 thin film 65

RBS spectroscopy
–on $Sr_2CuO_2(CO_3)$ thin films 11
Re doping
–in Hg-1223 thin film 65
Resistance changes
–in $YBa_2Cu_3O_x$ single crystals 151
Resistive transition
–of $(YBCO)_{24}/(PrBCO)_2$ multilayer 60

Scattering rate 287
Spin density wave 246
Spin wave theory 257
SQUID 191
Structural Distortion
–in $HoNi_2(^{57}Co)B_2C$ 91
Structural phase transition
–in κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br single crystal 185
Structure
–of $(Cu_{1-x}M_x)Sr_2(Y_{1-y}Ce_y)_2Cu_2O_\delta$ 1
–of Bi-2212/Ag thick films 161
–of $Sr_2CuO_{2+\delta}Cl_{2-\delta}$ 41
–of $YbBa_2Cu_4O_8$ thin films 53
Substitution effects
–in $YbBa_2Cu_4O_8$ thin films 53
Superconducting microconstriction 131
Superconductors 81
Synthesis
–of $(Cu_{1-x}M_x)Sr_2(Y_{1-y}Ce_y)_2Cu_2O_\delta$ 1
–of Ag/Bi-2223 tapes 21
–of Bi-2212/Ag thick films 161
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 94
–of $Bi_2Sr_2CaCu_2O_x$Ag multilayer tapes 81
–of BiPbSrCaCuO powder 28
–of $YBa_2Cu_3O_y/PrBa_2(Cu_{1-x}Co_x)_3O_y/YBa_2Cu_3O_y$ junctions 231
–of $YbBa_2Cu_4O_8$ thin films 53

t-J model 257
TEM
–on $Sr_2CuO_2(CO_3)$ thin films 11
TEM observations
–on $YBa_2Cu_3O_{7-x}$ 209
Thermal activation 73
Three-body interactions 141
Torque magnetometer 191
Transport properties
–of $Sr_2CuO_2(CO_3)$ thin films 11
–of YBaCuO-Ag 177
Tunneling 131

Upper critical field H_{c2}
–of YNi_2B_2C single crystal 57

Vortex lattice melting
–in Bi2212 tape 169